

FAX TRANSMITTAL MOAB DISTRICT OFFICE

TO:	JAW BAZA
FROM:	ERIC JONES
SUBJEC'	GEBAUER-GROOM #86
NUMBER	OF PAGES: 2
(Including Co	
DATE:	11/25/97
TIME:_	0910
FAX MA	CHINE NO.:
COMMEN	TS:

UT-060-1542-1 (October 1991) Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

UTU- 7303

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

7. If Unit or CA, Agreement Designation

1. Type of Well		
XX Oil Gas Well Other		8. Well Name and No.
2. Name of Operator		GEBAUER GROOM # 86
WESGRA CORPORATI	ON	9. API Well No.
3. Address and Telephone No.		43-037-31794
P.O. BOX 310367 MEXICAN HA	T, UTAH 84531 (435) 683-2298	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey I	Description)	MEXICAN HAT
975' FNL, 1130' FEL,	NE NE, SEC. 7	11. County or Parish, State
T. 42 S. R. 19 E.,		SAN JUAN CO. UTAH
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE	, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF	ACTION
Notice of Intent	Abandonment	Change of Plans
um.	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
grande de la companya	Casing Repair	Water Shut-Off
	Altering Casing	Conversion to Injection
Final Abandonment Notice		
Li Final Abandonment Notice	Ø OHRIG SKID	Dispose Water (Note: Report results of multiple completion on Well

GEBAUER GROOM # 86 LOST TOOLS IN HOLE WHILE REAMING HOLE FROM $6\frac{1}{2}$ " to 7 7/8" FOR CASING

11/3/97

HOLE PLUGGED AS PER. INSTRUCTION (ERIC JONES) 50 'BOTTOM 890' to 940' CEMENT 15 BAGS FILLED HOLE WITH MUD TO 220'

50' ACROSS GOODRIDGE

50 ACROSS GOODKIDGE


CEMENT 15 BAGS

FILLED HOLE WITH MUD

25' PLUG AT SURFACE

CEMENT 9 BAGS

SKID RIG 25' WEST
SET 37' 8 5/8" 20 LB. STEEL CASING & CEMENT 10 BAGS
STARTED DRILLING NEW 7 7/8" HOLE



4. I hereby certify that the foregoing is true and correct	0	PRESIDENT	11/05/97	
Sign	Title	FRISIDIA	Date	
(This space for Federal or State office use)				
Approved by	_ Title		Date	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

	LAND MANAGEMENT	5. Lease Designation and Serial No. UTU - 7303
Do not use this form for proposals to dr	AND REPORTS ON WELLS 21 PH 12 PH 13 PH 14	6. If Indian, Allottee or Tribe Name
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well XX Well		8. Well Name and No.
WESGRA CORPORATION	NC	GEBAUER GROOM # 86
3. Address and Telephone No.		43-037-31794
P.O. BOX 310367 MEXICAN HAT	r, UTAH 84531 (435) 683-2298	10. Pield and Pool, or Exploratory Arca
4. Location of Well (Footage, Sec., T., R., M., or Survey D	•	MEXICAN HAT
975' FNL, 1130' FEL, 1	· · · · · · · · · · · · · · · · · · ·	11. County or Parish, State
T. 42 S. R. 19 E., S	SIM.	SAN JUAN CO. UTAH
12. CHECK APPROPRIATE BOX((s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
Sérve	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Practuring
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing Altering Casing SKID	Conversion to Injection
	ES OUR P	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
	Il pertinent deteils, and give pertinent dates, including estimated date of starting	
-	cal depths for all markers and zones pertinent to this work.)*	
GEBAUER GROOM # 86	TO THE TOTAL TOTAL C1 II A. 7 7 /01 POP	C) CTVC
LOST TOOLS IN HOLE WHILE	REAMING HOLE FROM $6\frac{1}{2}$ " to 7 7/8" FOR	CASING
11/3/97		
HOLE PLUGGED AS PER. INS	PRICETON (FRIC JONES)	
50 ' BOTTOM 890' to 94		
FILLED HOLE WITH MUD TO		
50' ACROSS GOODRIDGE	CEMENT 15 BAGS	
FILLED HOLE WITH MUD		
25' PLUG AT SURFACE	CEMENT 9 BAGS	

8 41. 1

SKID RIG 25' WEST SET 37' 8 5/8" 20 LB. STEEL CASING & CEMENT 10 BAGS STARTED DRILLING NEW 7 7/8" HOLE

14	I hareby certify that the foregoing is true and correct Signa	Title	PRESIDENT	Date 11/05/97	
	(This space for Pederal or State office use)				
	Approved by	Title		Date	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SUBMIT IN TRA (Other instructions on

Form approved. Budget Bureau No. 42-R1425.

V OF OIL, GAS & MINING

UNITED STATES

reverse side) DEPARTMENT OF THE INTERIOR 5. LEASE DESIGNATION AND SERIAL NO. UTU 7303 **GEOLOGICAL SURVEY** 6. IF INDIAN, ALBOTTER OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME PLUG BACK \square DEEPEN . DRILL XX b. TYPE OF WELL SINGLE MULTIPLE 8. TARM OR LEASE NAME WELL XX GAS WELL OTHER GEBAUER GROOM 2. NAME OF OPERATOR WESGRA CORPORATION 9. WELL NO. # 86 X 3. ADDRESS OF OPERATOR 10 PIELD AND POOL, GR WILDCAT P.O. BOX 310367 MEXICAN HAT, UTAH 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) MEXICAN: HAT 975 At surface 1155' F/EL F/NL 11. SEC., T., R., M., OR BLK.
AND SURVEY OR ARBA 352 T. 42 S At proposed prod. zone GOOSENECKS? DESERT CREEK R. 19 E SLM 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

12 MILE NORTH OF MEXICAN HAT 12. COUNTY OR PARISH 13. STATE SAN JUAN S 16. NO. OF ACRES IN LEASE NO. OF ACRES ASSIGNED 15. DISTANCE FROM PROPOSED* DISTANCE FRUE FRANCE
LOCATION TO NEARRST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drig, unit line, if any) TO THIS WELL 1155' 350 3 2 18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS ROTARY 300' 1300' 22. APPROX. DATE WORK WILL START* 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4180 GR. EST. DECEMBER 1997 23. PROPOSED CASING AND CEMENTING PROGRAM WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT SIZE OF HOLE SIZE OF CASING 8 5/8" 12‡" י38 10≘sx. 20 lb. $\frac{5\frac{1}{2}}{1}$ 1200 200 7 7/8" $15\frac{1}{2}$ lb. SX. 1,2,4,5,8,9, 3. SURFACE FORMATION SUPI

- 6. ESTIMATED TOP OF GEOLOGICAL MARKER
- 200' GOODRIDGE
- (WATER) 7. ESTIMATED DEPTH OF WATER OIL, OR GAS SCHAFER LIME
- 10. PRESSURE EQUIPMENT NONE NEEDED (VARIANCE GRANTED BY B.L.M.
- 11. CIRCULATING MEDIUM, AIR / FOAM
- 12. TESTING SAMPLES ONLY
- 13. ABNORMAL PRESSURES OR TEMPERATURES, NONE (NO H2S)
- 14. ANTICIPATED STARTING TIME DECEMBER 1997

LOST TOOLS IN # 86 RIG SKID 25' WEST

NEW SURVEY WILL BE FORTHCOMING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. 12/08/97 PRESIDENT DATE TITLE SIGNED (This space for Federal or State office use) TITLE APPROVED BY CONDITIONS OF APPROVAL, I



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 12/18/97	API NO. ASSIGNED: 43-037-31797
WELL NAME: GEBAURE GROOM 86X (RIG-SOPERATOR: WESGRA CORPORATION (N1	SKID) 060)
PROPOSED LOCATION: NENE 07 - T42S - R19E SURFACE: 0975-FNL-1155-FEL BOTTOM: 0975-FNL-1155-FEL SAN JUAN COUNTY MEXICAN HAT FIELD (410) LEASE TYPE: FED LEASE NUMBER: UTU - 7303 PROPOSED PRODUCING FORMATION: GDRSE	INSPECT LOCATION BY: / / TECH REVIEW Initials Date Engineering Geology Surface
RECEIVED AND/OR REVIEWED: Plat Bond: Federal [State [Fee [] (Number unkn)) Potash (Y/N) Noil shale (Y/N) Water permit (Number of Mexican HA) RDCC Review (Y/N) (Date:)	LOCATION AND SITING: R649-2-3. Unit: R649-3-2. General. R649-3-3. Exception. Drilling Unit. Board Cause no:
COMMENTS:	
STIPULATIONS:	




OPERATOR: WESGRA CORPORATION (N1060)

FIELD: MEXICAN HAT (410)

SEC. TWP. RNG.: SEC. 7, T42S, R19E

COUNTY: SAN JUAN CAISE NO.156-2 24-OCT-78



Form 3160-4 (November 1983) (formerly 9-330)

UNITED STATES

SUBMIT IN DUPLICA

Form approved.

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

(See a revers

160	Budget Bureau Expires Augus	No. 1004-0137 st 31, 1985
ther in- ions on	5. LEASE DESIGNATIO	N AND SERIAL NO.
e side)		
 3 *	UTU- 730	RE OR TRIBE NAME
·	7. UNIT AGREEMENT	NAME
	S. PARM OR LEASE N	
	GEBAUER G	ROOM
	# 86 X	OR WILDCAT
, , , , , ,	MEXICAN HA	AT BLOCK AND BURYEY
	T.42 S. R.	19 E. SLM.
ZA	SAN JUAN CO.	
EST	4	179
CENTER TO V	ROTARY TOOLS	CABLE TOOLS
. 	25	WAR DIRECTIONAL SURVEY MADE
		NO
OLIGE		
	27. W.	O WELL CORED
MENTING	RECORD	AMOUNT PULLED
0 sx.		NONE
SX		NONE
	TUBING RECORD	
· _]	DEPTH SET (MD)	PACKER SET (MD)
	nerth set (me)	
	CTURE, CEMENT SQU	
	CTURE, CEMENT SQU	MATERIAL USED
	WELL STATU	MATERIAL USED SE (Producing or SHUT IN
ump)	WATER-BBL.	SHUT IN
ump)	WELL STATU Shut-in) C	MATERIAL USED SE (Producing or SHUT IN GAS-OIL BATIO GRAVITY-API (CORE.)
ump)	WELL STATU Shut-in) WATERBBL. TEST WITNESSED	MATERIAL USED SE (Producing or SHUT IN GAS-OIL BATIO GRAVITY-API (CORE.)
ump)	WELL STATU Shut-in) C	MATERIAL USED SE (Producing or SHUT IN GAS-OIL BATIO GRAVITY-API (CORE.)
ump)	WELL STATU Shut-in) WATERBBL. TEST WITNESSED	MATERIAL USED SE (Producing or SHUT IN GAS-OIL BATIO GRAVITY-API (CORE.)

WELL COMPLETION OR RECOMPLETION REPORT AND LOC IB. TYPE OF WELL: WELL XX GAS WELL Other b. TYPE OF COMPLETION: DEEP : WORK Other NEIT XX 2. NAME OF OPERATOR WESGRA CORPORATION 3. ADDRESS OF OPERATOR P.O. BOX 310367 MEXICAN HAT, UTAH 84531

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements). At surface 975' F/NL 1155' F/EL NE/NE SEC.7 At top prod. interval reported below At total depth DATE ISSUED 14. PERMIT NO. 17. DATE 18. ELEVATIONS I 15 DATE SPUDDED 16. DATE T.D. REACHED - 1 strucy 4180' 12/12/97 11/10/97 IF MULTIPLE COMPL., 20. TOTAL DEPTH. MD & TYD 21. PLUG, BACK T.D., MD & TVD 1280' 24. PRODUCING INTERVAL(8), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TYP) 1225-1250' DESERT CREEK WAITING ON EVALUATION FROM GE 26. TYPE ELECTRIC AND OTHER LOGS RUN SAMPLES ONLY CASING RECORD (Report all strings set in well) CE HOLE SIZE WEIGHT, LB./FT. DEPTH SET (MD) CASING SIZE 1 121" 20 lb. 38 8 5/8" <u> 190</u> 1205 5311 15lb. 30. LINER RECORD 29 SIZE SACKS CEMENT SCREEN (MD) BOTTOM (MD) TOP (MD) SIZE 31. PERFORATION RECORD (Interval, size and number) ACID, SHO DEPTH INTERVAL (MD) 23. PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of p DATE FIRST PRODUCTION NO PRODUCTION YET PROD'N. FOR OIL -- BBL. CHOKE SIEE HOURS TESTED DATE OF TEST GAS-MCF. CALCULATED 24-HOUR RATE FLOW. TUBING PRESS. CABING PRESSURE 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) 35. LIST OF ATTACHMENTS 36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records DATE 12/16/97

TITLE PRESIDENT

WESGRA CORP:

PAGE 01

FAX 1 101 359 3840 -

FORM 6

P. 02/03

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY	ACTION	FORM

Wesgra CARPORATION. P.O. BOX 310367 Operator:

Operator Account Number: N 1060

Address;

AM OIL, GAS & MINING

Phone Number: 435-683-2298

API Number		ber Well Name		Sec	Twp	Rng	County	
43-037-31797	Hehaver A	YRoom 86X	NE.NE	7	42.5	ME.	SAN JUAN	
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date			
B	99999	11004	11-	10-	97	11	-1-00	
Comments:								

API Number	Well Name		QQ	Sec	Twp	Rng	County	
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date		
omments:				····				

API Number	Well I	Vame	QQ	Sec	Twp	Ring	County	
Action Code	Gurrent Entity Number	New Entity Number	Spud Date			Entity Assignme		
omments:								

ACTION CODES:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to enother existing entity
- D Re-assign well from one existing antity to a new entity
- E Other (Explain in 'comments' section)

(5/2000)